

Thermistor-type Devices - Component

COMPANY

Shenzhen JDT Fuse Industrial Co Ltd
 5 / F, Building 23, Longbi Industrial Zone, Bantian Street
 Longgang District
 Shenzhen, Guangdong Sheng 518129 China

E472196

PTC current limiter:

Model No.	Voltage (V)		Current (A)				T _{moa} (°C)	Class	CA
	V _{max}	V _r	I _h (mA)	I _t (mA)	I _{max} (A)	I _{sc} (A)			
A16-250	16	10	2500	5000	50	50	80	C2	1(103.2), 2, 4, #
A16-300	16	10	3000	6000	50	50	80	C2	1(103.2), 2, 4, #
A16-400	16	10	4000	8000	50	50	80	C2	1(103.2), 2, 4, #
A16-500	16	10	5000	10000	100	100	80	C2	1(103.2), 2, 4, #
A16-600	16	10	6000	12000	100	100	80	C2	1(103.2), 2, 4, #
A16-700	16	10	7000	14000	100	100	80	C2	1(103.2), 2, 4, #
A16-800	16	10	8000	16000	100	100	80	C1	1(109.2), 2, 4, #
A16-900	16	10	9000	18000	100	100	80	C1	1(109.2), 2, 4, #
A16-1000	16	10	10000	20000	100	100	80	C1	1(109.2), 2, 4, #
A16-1100	16	10	11000	22000	100	100	80	C1	1(109.2), 2, 4, #
A16-1200	16	10	12000	24000	100	100	80	C1	1(109.2), 2, 4, #
A16-1400	16	10	14000	28000	100	100	80	C1	1(119.7), 2, 4, #
A30-090	30	16	900	1800	40	40	80	C1	1(119.1), 2, 4, #
A30-110	30	16	1100	2200	40	40	80	C1	1(119.1), 2, 4, #
A30-135	30	16	1350	2700	40	40	80	C1	1(119.1), 2, 4, #
A30-160	30	16	1600	3200	40	40	80	C1	1(119.1), 2, 4, #
A30-185	30	16	1850	3700	40	40	80	C1	1(119.1), 2, 4, #
A30-250	30	16	2500	5000	40	40	80	C1	1(119.1), 2, 4, #
A30-300	30	16	3000	6000	40	40	80	C1	1(119.1), 2, 4, #

Feedback

A30-400	30	16	4000	8000	40	40	80	C1	1(119.1), 2, 4, #
A30-500	30	16	5000	10000	40	40	80	C1	1(105.4), 2, 4, #
A30-600	30	16	6000	12000	40	40	80	C1	1(105.4), 2, 4, #
A30-700	30	16	7000	14000	40	40	80	C1	1(105.4), 2, 4, #
A30-800	30	16	8000	16000	40	40	80	C1	1(115.0), 2, 4, #
A30-900	30	16	9000	18000	40	40	80	C1	1(113.9), 2, 4, #
A60-010	60	30	100	200	20	20	80	C3	1(81.5), 2, 4, #
A72-020	60	30	200	400	20	20	80	C3	1(81.5), 2, 3, 4, #
A72-025	60	30	250	500	20	20	80	C3	1(81.5), 2, 3, 4, #
A72-030	60	30	300	600	20	20	80	C3	1(81.5), 2, 3, 4, #
A72-040	60	30	400	800	20	20	80	C3	1(110.5), 2, 4, #
A72-050	60	30	500	1000	20	20	80	C1	1(110.5), 2, 3, 4, #
A72-065	60	30	650	1300	40	40	80	C1	1(110.5), 2, 4, #
A72-075	60	30	750	1500	40	40	80	C1	1(110.5), 2, 4, #
A72-090	60	30	900	1800	40	40	80	C1	1(110.5), 2, 4, #
A72-110	60	30	1100	2200	40	40	80	C1	1(110.5), 2, 4, #
A72-135	60	30	1350	2700	40	40	80	C1	1(108.5), 2, 4, #
A72-160	60	30	1600	3200	40	40	80	C1	1(121.2), 2, 4, #
A72-185	60	30	1850	3700	40	40	80	C1	1(121.2), 2, 4, #
A72-250	60	30	2500	5000	40	40	80	C1	1(121.2), 2, 4, #
A72-300	60	30	3000	6000	40	40	80	C1	1(121.2), 2, 4, #
A72-375	60	30	3750	7500	40	40	80	C1	1(121.2), 2, 4, #
A250-030	220	60	30	80	1	1	80	C2	1(87.1), 2, 4, #
A250-050	220	60	50	100	3	3	80	C2	1(96.4), 2, 3, 4, #
A250-060	220	60	60	120	3	3	80	C2	1(96.4), 2, 3, 4, #
A250-080	220	60	80	160	3	3	80	C2	1(96.4), 2, 3, 4, #
A250-090	220	60	90	180	3	3	80	C2	1(96.4), 2, 3, 4, #
A250-110	220	60	110	220	3	3	80	C2	1(96.4), 2, 3, 4, #
A250-120	220	60	120	240	3	3	80	C2	1(96.4), 2, 3, 4, #
A250-145	220	60	145	290	3	3	80	C2	1(96.4), 2, 3, 4, #
A250-180:	220	60	180	500	3	3	80	C4	1(129.3), 2, 4, #
A250-200	220	60	200	400	3	3	80	C4	1(129.3), 2, 4, #
A600-030	220	60	30	60	1	1	80	C1	1(85.8), 2, 3, 4, #

Feedback

A600-050	220	60	50	100	1	1	80	C1	1(85.8), 2, 3, 4, #
A600-080	220	60	80	160	1	1	80	C1	1(85.8), 2, 4, #
A600-120	220	60	120	240	3	3	80	C1	1(117.6), 2, 4, #
A600-150	220	60	150	300	3	3	80	C2	1(106.6), 2, 3, 4, #
A600-160	220	60	160	320	3	3	80	C2	1(106.6), 2, 3, 4, #
A600-180	220	60	180	360	3	3	80	C2	1(106.6), 2, 4, #
A600-200	220	60	200	400	3	3	80	C2	1(106.6), 2, 4, #
A6-075	6	6	750	1500	50	50	80	C1	1(102.4), 2, 3, 4, #
A6-090	6	6	900	1800	50	50	80	C1	1(102.4), 2, 3, 4, #
A6-110	6	6	1100	2200	50	50	80	C1	1(102.4), 2, 3, 4, #
A6-120	6	6	1200	2400	50	50	80	C1	1(102.4), 2, 3, 4, #
A6-135	6	6	1350	2700	50	50	80	C1	1(101.4), 2, 3, 4, #
A6-155	6	6	1550	3100	50	50	80	C1	1(101.4), 2, 3, 4, #
A6-160	6	6	1600	3200	50	50	80	C1	1(101.4), 2, 4, #
A6-185	6	6	1850	3700	50	50	80	C1	1(101.4), 2, 4, #
A6-250	6	6	2500	5000	50	50	80	C1	1(103.0), 2, 4, #
A120-150	90	36	150	300	10	10	80	C2	1(101.3), 2, 4, #
A120-250	90	36	250	500	10	10	80	C4	1(122.7), 2, 4, #
A120-350	90	36	350	700	10	10	80	C4	1(122.7), 2, 4, #
A120-450	90	36	450	900	10	10	80	C4	1(122.7), 2, 4, #
A120-550	90	36	550	1100	15	15	80	C3	1(114.1), 2, 4, #
A120-650	90	36	650	1300	15	15	80	C3	1(114.1), 2, 4, #
A120-750	90	36	750	1500	15	15	80	C3	1(114.1), 2, 4, #
AP16-070	16	10	700	1400	50	50	80	C1	1(97.1), 2, 4, #
AP16-120	16	10	1200	2400	50	50	80	C1	1(97.1), 2, 4, #
AP16-170	16	10	1700	3400	50	50	80	C1	1(97.1), 2, 4, #
AP16-175	16	10	1750	3500	50	50	80	C1	1(97.1), 2, 4, #
AP16-180	16	10	1800	3600	50	50	80	C1	1(97.1), 2, 4, #
AP16-190	16	10	1900	3800	50	50	80	C1	1(97.1), 2, 4, #
AP16-200	16	10	2000	4000	50	50	80	C1	1(97.1), 2, 4, #
AP16-210	16	10	2100	4200	50	50	80	C1	1(97.1), 2, 4, #
AP16-260	16	10	2600	5200	50	50	80	C1	1(97.1), 2, 4, #
AP16-300	16	10	3000	6000	100	100	80	C1	1(97.1), 2, 4, #

Feedback

AP16-310	16	10	3100	6200	100	100	80	C1	1(105.9), 2, 4, #
AP16-340	16	10	3400	6800	100	100	80	C1	1(121.1), 2, 4, #
AP16-350	16	10	3500	7000	100	100	80	C1	1(121.1), 2, 4, #
AP16-420	16	10	4200	8400	100	100	80	C1	1(121.1), 2, 4, #
AP16-500	16	10	5000	10000	100	100	80	C1	1(121.1), 2, 4, #
AP16-600	16	10	6000	12000	100	100	80	C1	1(121.1), 2, 4, #
AP16-730	16	10	7300	14600	100	100	80	C1	1(121.1), 2, 4, #
AN065	16	12	650	1300	20	20	80	C3	1(97.9), 2, 4, #
AN075	16	12	750	1500	20	20	80	C3	1(97.9), 2, 4, #
AN090	16	12	900	1800	20	20	80	C3	1(97.9), 2, 4, #
AN110	16	12	1100	2200	20	20	80	C3	1(97.9), 2, 4, #
AN135	16	12	1350	2700	20	20	80	C3	1(97.9), 2, 4, #
AN160	16	12	1600	3200	20	20	80	C3	1(97.9), 2, 4, #
AN175	16	12	1750	2500	20	20	80	C2	1(101.6), 2, 4, #
AH1420	15	8	2000	4000	40	40	80	C1	1(122.0), 2, 4, #
AH1520	15	8	2000	4000	40	40	80	C1	1(127.8), 2, 4, #
AH1620	15	8	2000	4000	40	40	80	C1	1(127.8), 2, 4, #
AH1720	15	8	2000	4000	40	40	80	C1	1(127.8), 2, 4, #
AH1820	15	8	2000	4000	40	40	80	C1	1(127.8), 2, 4, #
AH1840	15	8	2500	5000	40	40	80	C1	1(127.8), 2, 4, #
ASMD0805-005	15.0	15.0	50	150	30	30	85	C1	1(125), 2, 3, 4, #
ASMD0805-010	15.0	15.0	100	300	30	30	85	C1	1(125), 2, 3, 4, #
ASMD0805-020	9.0	9.0	200	500	30	30	85	C1	1(125), 2, 3, 4, #
ASMD0805-035	6.0	6.0	350	750	30	30	85	C1	1(125), 2, 3, 4, #
ASMD0805-050	6.0	6.0	500	1000	30	30	85	C1	1(125), 2, 3, 4, #
ASMD0805-075	6.0	6.0	750	1500	35	35	85	C1	1(125), 2, 3, 4, #
ASMD0805-100	6.0	6.0	1000	1950	35	35	85	C1	1(125), 2, 3, 4, #
ASMD0805-110	6.0	6.0	1100	2200	35	35	85	C1	1(125), 2, 3, 4, #
ASMD0805-125	6.0	6.0	1250	2500	35	35	85	C1	1(125), 2, 3, 4, #
ASMD0805-150	6.0	6.0	1500	3000	35	35	85	C1	1(125), 2, 3, 4, #
ASMD1206-005-1	24.0	24.0	50	150	10	10	85	C3	1(125), 2, 3, 4, #
ASMD1206-010-1	24.0	24.0	100	250	10	10	85	C3	1(125), 2, 3, 4, #
ASMD1206-012-1	24.0	24.0	120	290	10	10	85	C3	1(125), 2, 3, 4, #

Feedback

ASMD1206-016	24.0	24.0	160	370	10	10	85	C3	1(125), 2, 3, 4, #
ASMD1206-020-1	24.0	24.0	200	460	10	10	85	C3	1(125), 2, 3, 4, #
ASMD1206-025-1	24.0	24.0	250	500	10	10	85	C2	1(125), 2, 3, 4, #
ASMD1206-035-1	6.0	6.0	350	750	35	35	85	C2	1(125), 2, 3, 4, #
ASMD1206-050-1	6.0	6.0	500	1000	35	35	85	C2	1(125), 2, 3, 4, #
ASMD1206-075-1	6.0	6.0	750	1500	35	35	85	C2	1(125), 2, 3, 4, #
ASMD1206-100-1	6.0	6.0	1000	1800	35	35	85	C2	1(125), 2, 3, 4, #
ASMD1206-110-1	6.0	6.0	1100	2200	35	35	85	C2	1(125), 2, 3, 4, #
ASMD1206-150-1	6.0	6.0	1500	3000	35	35	85	C2	1(125), 2, 3, 4, #
ASMD1206-200-1	6.0	6.0	2000	3500	35	35	85	C1	1(125), 2, 3, 4, #
ASMD1812-260-1	8.0	8.0	2600	5000	35	35	85	C3	1(125), 2, 3, 4, #
ASMD1812-200-1	8.0	8.0	2000	4000	35	35	85	C3	1(125), 2, 3, 4, #
ASMD1812-160	8.0	8.0	1600	2800	35	35	85	C3	1(125), 2, 3, 4, #
ASMD1812-150-1	8.0	8.0	1500	3000	35	35	85	C3	1(125), 2, 3, 4, #
ASMD1812-125	8.0	8.0	1250	2500	35	35	85	C3	1(125), 2, 3, 4, #
ASMD1812-110-1	8.0	8.0	1100	2200	35	35	85	C3	1(125), 2, 3, 4, #
ASMD1812-075-1	13.2	13.2	750	1500	30	30	85	C3	1(125), 2, 3, 4, #
ASMD1812-050-1	33.0	33.0	500	1000	30	30	85	C3	1(125), 2, 3, 4, #
ASMD1812-030-1	33.0	33.0	300	600	30	30	85	C3	1(125), 2, 3, 4, #
ASMD1812-020-1	33.0	33.0	200	400	30	30	85	C3	1(125), 2, 3, 4, #
ASMD1812-014-1	33.0	33.0	140	340	30	30	85	C3	1(125), 2, 3, 4, #
ASMD1812-010-1	33.0	33.0	100	300	30	30	85	C3	1(125), 2, 3, 4, #
ASMD1210-200	6.0	6.0	2000	4000	35	35	85	C3	1(125), 2, 3, 4, #
ASMD1210-175	6.0	6.0	1750	3500	35	35	85	C3	1(125), 2, 3, 4, #
ASMD1210-150	6.0	6.0	1500	3000	35	35	85	C3	1(125), 2, 3, 4, #
ASMD1210-110	6.0	6.0	1100	2200	35	35	85	C3	1(125), 2, 3, 4, #
ASMD1210-075	6.0	6.0	750	1500	30	30	85	C3	1(125), 2, 3, 4, #
ASMD1210-050	13.2	13.2	500	1000	30	30	85	C3	1(125), 2, 3, 4, #
ASMD1210-035	13.2	13.2	350	750	30	30	85	C4	1(125), 2, 3, 4, #
ASMD1210-020	13.2	13.2	200	400	30	30	85	C4	1(125), 2, 3, 4, #
ASMD1210-010	13.2	13.2	100	300	30	30	85	C4	1(125), 2, 3, 4, #
ASMD1210-005	13.2	13.2	50	150	30	30	85	C4	1(125), 2, 3, 4, #
ASMD0603-025	9.0	9.0	250	550	35	35	85	C4	1(125), 2, 3, 4, #

Feedback

ASMD0603-020	9.0	9.0	200	500	35	35	85	C4	1(125), 2, 3, 4, #
ASMD0603-010	9.0	9.0	100	300	35	35	85	C4	1(125), 2, 3, 4, #
ASMD0603-005	9.0	9.0	50	150	20	20	85	C4	1(125), 2, 3, 4, #
ASMD0603-003	9.0	9.0	30	90	20	20	85	C4	1(125), 2, 3, 4, #
ASMD0603-002	9.0	9.0	20	60	20	20	85	C4	1(125), 2, 3, 4, #

PTC Current Limiter:

Model No.	Voltage (V)		Current (A)				Tmoa (°C)	Class	CA
	Vmax	Vr	Ih(mA)	It(mA)	Imax(A)	Isc(A)			
ASMD1812-014(X)	60 Vdc	60 Vdc	140	340	10	10	85	C3	1(110.2),2,3,4 #
ASMD1812-050-60(X)	60 Vdc	60 Vdc	500	1000	10	10	85	C3	1(110.2),2,3,4 #
ASMD1812-150-24(X)	24 Vdc	24 Vdc	1500	3000	40	40	85	C2	1(103.8),2,3,4 #
ASMD1812-030(X)	30 Vdc	30 Vdc	300	600	40	40	85	C3	1(103.8),2,3,4 #
ASMD1812-075-33(X)	33 Vdc	33 Vdc	750	1500	40	40	85	C3	1(103.8),2,3,4 #
ASMD1812-110-33(X)	33 Vdc	33 Vdc	1100	2200	40	40	85	C3	1(103.8),2,3,4 #
ASMD1206-005(X)	60 Vdc	60 Vdc	50	150	40	40	85	C3	1(88.1),2,3,4 #
ASMD1206-010(X)	60 Vdc	60 Vdc	100	250	40	40	85	C3	1(102.4),2,3,4 #
ASMD1206-300(X)	6 Vdc	6 Vdc	3000	6000	50	50	85	C2	1(102.4),2,3,4 #
ASMD1206-400-12(X)	12 Vdc	12 Vdc	4000	8000	50	50	85	C2	1(102.4),2,3,4 #
ASMD1206-500-12(X)	12 Vdc	12 Vdc	5000	10000	50	50	85	C2	1(102.4),2,4 #
ASMD1206-600-12(X)	12 Vdc	12 Vdc	6000	12000	50	50	85	C1	1(102.4),2,4 #
ASMD1812-500-12(X)	12 Vdc	12 Vdc	5000	10000	50	50	85	C2	1(112.5),2,4 #
ASMD1812-600-12(X)	12 Vdc	12 Vdc	6000	12000	50	50	85	C2	1(112.5),2,4 #
ASMD1812-700-12(X)	12 Vdc	12 Vdc	7000	14000	50	50	85	C2	1(112.5),2,4 #

Feedback

ASMD1812-750-12(X)	12 Vdc	12 Vdc	7500	15000	50	50	85	C2	1(112.5),2,4 #
ASMD1206-035(X)	6 Vdc	6 Vdc	350	700	100	100	85	C2	1(112.5),2,3,4 #
ASMD1206-050(X)	6 Vdc	6 Vdc	500	1000	100	100	85	C2	1(112.5),2,3,4 #
ASMD1206-100(X)	6 Vdc	6 Vdc	1000	2000	100	100	85	C2	1(112.5),2,3,4 #
ASMD1206-110(X)	6 Vdc	6 Vdc	1100	2200	100	100	85	C2	1(112.5),2,3,4 #
ASMD1206-150(X)	6 Vdc	6 Vdc	1500	3000	100	100	85	C2	1(112.5),2,3,4 #
ASMD1206-200(X)	6 Vdc	6 Vdc	2000	4000	100	100	85	C1	1(99.8),2,3,4 #
ASMD1812-400(X)	6 Vdc	6 Vdc	4000	8000	100	100	85	C2	1(105.8),2,4 #
ASMD1206-075(X)	8 Vdc	8 Vdc	750	1500	100	100	85	C2	1(105.8),2,3,4 #
ASMD1812-110(X)	8 Vdc	8 Vdc	1100	2200	100	100	85	C2	1(105.8),2,3,4 #
ASMD1812-150(X)	8 Vdc	8 Vdc	1500	3000	100	100	85	C2	1(105.8),2,3,4 #
ASMD1812-200(X)	8 Vdc	8 Vdc	2000	4000	100	100	85	C2	1(105.8),2,3,4 #
ASMD1812-260(X)	8 Vdc	8 Vdc	2600	5200	100	100	85	C2	1(105.8),2,3,4 #
ASMD1812-300(X)	8 Vdc	8 Vdc	3000	6000	100	100	85	C2	1(105.8),2,3,4 #
ASMD1812-075(X)	13.2 Vdc	13.2 Vdc	750	1500	100	100	85	C2	1(105.8),2,3,4 #
ASMD1812-050(X)	15 Vdc	15 Vdc	500	1000	100	100	85	C2	1(105.8),2,3,4 #
ASMD1206-025(X)	16 Vdc	16 Vdc	250	500	100	100	85	C2	1(105.8),2,3,4 #
ASMD1206-110-16(X)	16 Vdc	16 Vdc	1100	2200	100	100	85	C2	1(105.8),2,3,4 #
ASMD1206-020(X)	24 Vdc	24 Vdc	200	400	100	100	85	C2	1(105.8),2,3,4 #
ASMD1812-200-24(X)	24 Vdc	24 Vdc	2000	4000	100	100	85	C2	1(105.8),2,3,4 #
ASMD1206-012(X)	30 Vdc	30 Vdc	120	290	100	100	85	C2	1(105.8),2,3,4 #
ASMD1206-035-30(X)	30 Vdc	30 Vdc	350	700	100	100	85	C2	1(105.8),2,3,4 #
ASMD1206-050-30(X)	30 Vdc	30 Vdc	500	1000	100	100	85	C2	1(105.8),2,3,4 #
ASMD1812-010(X)	30 Vdc	30 Vdc	100	300	100	100	85	C2	1(105.8),2,3,4 #
ASMD1812-020(X)	30 Vdc	30 Vdc	200	400	100	100	85	C2	1(105.8),2,3,4 #

Feedback

PTC Current Limiter:

Model No.	Voltage (V)		Current (A)				T _{moa} (°C)	Class	CA
	V _{max}	V _r	I _h (mA)	I _t (mA)	I _{max} (A)	I _{sc} (A)			
A72-110-1 A60-110	60 V dc	60 V dc	1100	2200	40	40	85	C2	1(120), 2, 4, #
A72-135-1 A60-135	60 V dc	60 V dc	1350	2700	40	40	85	C2	1(120), 2, 4, #
A72-160-1 A60-160	60 V dc	60 V dc	1600	3200	40	40	85	C2	1(120), 2, 4, #
A72-185-1 A60-185	60 V dc	60 V dc	1850	3750	40	40	85	C2	1(120), 2, 4, #
A72-250-1 A60-250	60 V dc	60 V dc	2500	5000	40	40	85	C2	1(120), 2, 4, #
A72-300-1 A60-300	60 V dc	60 V dc	3000	6000	40	40	85	C2	1(120), 2, 4, #
A72-375-1 A60-375	60 V dc	60 V dc	3750	7500	40	40	85	C1	1(120), 2, 4, #
A6-090-1	6 V dc	6 V dc	900	1800	40	40	85	C2	1(98.8), 2, 4,#
A6-110-1	6 V dc	6 V dc	1100	2200	40	40	85	C2	1(98.8), 2, 4,#
A6-120-1	6 V dc	6 V dc	1200	2400	40	40	85	C2	1(98.8), 2, 4,#
A6-135-1	6 V dc	6 V dc	1350	2700	40	40	85	C2	1(98.8), 2, 4,#
A6-155-1	6 V dc	6 V dc	1550	3100	40	40	85	C1	1(99.1), 2, 4,#
A6-160-1	6 V dc	6 V dc	1600	3200	40	40	85	C1	1(99.1), 2, 4,#
A6-182	6 V dc	6 V dc	1850	3700	40	40	85	C1	1(99.1), 2, 4,#
A6-250-1	6 V dc	6 V dc	2500	5000	40	40	85	C1	1(83.1), 2, 4,#
A250-400	60 V dc	60 V dc	400	1200	10	10	85	C3	1(85), 2, 4,#
A250-600	60 V dc	60 V dc	600	1800	10	10	85	C3	1(85), 2, 4,#
A250-800	60 V dc	60 V dc	800	2400	10	10	85	C1	1(112.1) 2, 4,#
ASMD0805-005-24V	24Vdc	24Vdc	50	150	100	100	85	C2	1(82.8), 2, 3, 4 #
ASMD0805-010-15V	15Vdc	15Vdc	100	300	100	100	85	C2	1(82.8), 2, 3, 4 #
ASMD0805-010-24V	24Vdc	24Vdc	50	150	100	100	85	C2	1(82.8), 2, 3, 4 #
ASMD0805-020-9V	9Vdc	9Vdc	200	500	100	100	85	C3	1(94.1), 2, 3, 4 #
ASMD0805-035-6V	6Vdc	6Vdc	350	750	100	100	85	C2	1(97), 2, 3, 4 #
ASMD0805-050-6V	6Vdc	6Vdc	500	1000	100	100	85	C2	1(101.8), 2, 3, 4 #

Feedback

ASMD0805-075-6V	6Vdc	6Vdc	750	1500	100	100	85	C2	1(101.8), 2, 3, 4 #
ASMD0805-100-6V	6Vdc	6Vdc	1000	1950	100	100	85	C2	1(101.8), 2, 3, 4 #
ASMD0805-110-6V	6Vdc	6Vdc	1100	2200	100	100	85	C1	1(101.8), 2, 3, 4 #
ASMD0805SL075	6Vdc	6Vdc	750	1500	50	50	85	C3	1(101.8), 2, 3, 4 #
ASMD0805SL075-12V	12Vdc	12Vdc	750	1500	50	50	85	C3	1(101.8), 2, 3, 4 #
ASMD0805SL110	6Vdc	6Vdc	1100	2200	50	50	85	C3	1(101.8), 2, 3, 4 #
ASMD0805SL110-12V	12Vdc	12Vdc	1100	2200	50	50	85	C3	1(101.8), 2, 3, 4 #
ASMD0805SL125	6Vdc	6Vdc	1250	2500	50	50	85	C3	1(101.8), 2, 3, 4 #
ASMD0805SL125-12V	12Vdc	12Vdc	1250	2500	50	50	85	C3	1(101.8), 2, 3, 4 #
ASMD0805SL150	6Vdc	6Vdc	1500	3000	50	50	85	C3	1(101.8), 2, 3, 4 #
ASMD0805SL150-12V	12Vdc	12Vdc	1500	3000	50	50	85	C3	1(101.8), 2, 3, 4 #
ASMD0805SL175	6Vdc	6Vdc	1750	3500	50	50	85	C3	1(107.3), 2, 4 #
ASMD0805SL175-12V	12Vdc	12Vdc	1750	3500	50	50	85	C3	1(107.3), 2, 4 #
ASMD0805SL200	6Vdc	6Vdc	2000	4000	50	50	85	C3	1(107.3), 2, 4 #
ASMD0805SL200-12V	12Vdc	12Vdc	2000	4000	50	50	85	C3	1(107.3), 2, 4 #
ASMD0805SL260	6Vdc	6Vdc	2600	5200	50	50	85	C3	1(107.3), 2, 4 #
ASMD0805SL260-12V	12Vdc	12Vdc	2600	5200	50	50	85	C3	1(107.3), 2, 4 #
ASMD0805SL300	6Vdc	6Vdc	3000	6000	50	50	85	C3	1(107.3), 2, 4 #
ASMD0805SL300-12V	12Vdc	12Vdc	3000	6000	50	50	85	C3	1(107.3), 2, 4 #
ASMD0805SL350	6Vdc	6Vdc	3500	7000	50	50	85	C3	1(107.3), 2, 4 #
ASMD0805SL350-12V	12Vdc	12Vdc	3500	7000	50	50	85	C3	1(107.3), 2, 4 #
ASMD0805SL380	6Vdc	6Vdc	3800	7600	50	50	85	C3	1(107.3), 2, 4 #
ASMD0805SL380-12V	12Vdc	12Vdc	3800	7600	50	50	85	C3	1(107.3), 2, 4 #
ASMD0805SL400	6Vdc	6Vdc	4000	8000	50	50	85	C3	1(107.3), 2, 4 #
ASMD0805SL400-12V	12Vdc	12Vdc	4000	8000	50	50	85	C1	1(110.5), 2, 4 #
ASMD1206-010-33V	33Vdc	33Vdc	100	250	100	100	85	C2	1(91.4), 2, 3, 4 #
ASMD1206-012-60V	33Vdc	33Vdc	120	290	100	100	85	C2	1(91.4), 2, 3, 4 #

ASMD1206-050-24V	24Vdc	24Vdc	500	1000	100	100	85	C2	1(107.3), 2, 3, 4 #
ASMD1206-075-16V	16Vdc	16Vdc	750	1500	100	100	85	C2	1(107.3), 2, 3, 4 #
ASMD1206-100-16V	16Vdc	16Vdc	1000	1800	100	100	85	C2	1(107.3), 2, 3, 4 #
ASMD1206-110-6V	8Vdc	8Vdc	1100	1800	100	100	85	C2	1(104.7), 2, 3, 4 #
ASMD1206SL150 USMD-150	6Vdc	6Vdc	1500	3000	50	50	85	C3	1(109.9), 2, 3, 4 #
ASMD1206SL150-12V USMD-150-12V	12Vdc	12Vdc	1500	3000	50	50	85	C3	1(110.3), 2, 3, 4 #
ASMD1206SL175 USMD-175	6Vdc	6Vdc	1750	3500	50	50	85	C3	1(110.3), 2, 3, 4 #
ASMD1206SL175-12V USMD-175-12V	12Vdc	12Vdc	1750	3500	50	50	85	C3	1(110.3), 2, 3, 4 #
ASMD1206SL200 USMD- 200	6Vdc	6Vdc	2000	4000	50	50	85	C3	1(110.3), 2, 3, 4 #
ASMD1206SL200-12V USMD-200-12V	12Vdc	12Vdc	2000	4000	50	50	85	C3	1(110.3), 2, 3, 4 #
ASMD1206SL260 USMD-260	6Vdc	6Vdc	2600	5200	50	50	85	C3	1(110.3), 2, 3, 4 #
ASMD1206SL260-12V USMD-260-12V	12Vdc	12Vdc	2600	5200	50	50	85	C3	1(110.3), 2, 3, 4 #
ASMD1206SL300 USMD-300	6Vdc	6Vdc	3000	6000	50	50	85	C3	1(110.3), 2, 4 #
ASMD1206SL300-12V USMD-300-12V	12Vdc	12Vdc	3000	6000	50	50	85	C3	1(110.3), 2, 4 #
ASMD1206SL350 USMD-350	6Vdc	6Vdc	3500	7000	50	50	85	C3	1(110.3), 2, 4 #
ASMD1206SL350-12V USMD-350-12V	12Vdc	12Vdc	3500	7000	50	50	85	C3	1(110.3), 2, 4 #
ASMD1206SL380 USMD-380	6Vdc	6Vdc	3800	7600	50	50	85	C3	1(110.3), 2, 4 #
ASMD1206SL380-12V USMD-380-12V	12Vdc	12Vdc	3800	7600	50	50	85	C3	1(110.3), 2, 4 #
ASMD1206SL400 USMD-400	6Vdc	6Vdc	4000	8000	50	50	85	C3	1(110.3), 2, 4 #
ASMD1206SL400-12V USMD-400-12V	12Vdc	12Vdc	4000	8000	50	50	85	C3	1(110.3), 2, 4 #
ASMD1210SL450 USMD-450	6Vdc	6Vdc	4500	9000	50	50	85	C3	1(110.3), 2, 4 #

Feedback

ASMD1206SL450-12V USMD-450-12V	12Vdc	12Vdc	4500	9000	50	50	85	C3	1(110.3), 2, 4 #
ASMD1206SL500 USMD-500	6Vdc	6Vdc	5000	10000	50	50	85	C3	1(110.3), 2, 4 #
ASMD1206SL500-12V USMD-500-12V	12Vdc	12Vdc	5000	10000	50	50	85	C3	1(110.3), 2, 4 #
ASMD1206SL550 USMD-550	6Vdc	6Vdc	5500	11000	50	50	85	C3	1(110.3), 2, 4 #
ASMD1206SL550-12V USMD-550-12V	12Vdc	12Vdc	5500	11000	50	50	85	C3	1(110.3), 2, 4 #
ASMD1206SL600 USMD-600	6Vdc	6Vdc	6000	12000	50	50	85	C3	1(110.3), 2, 4 #
ASMD1206SL600-12V USMD-600-12V	12Vdc	12Vdc	6000	12000	50	50	85	C3	1(110.3), 2, 4 #
ASMD1206SL650 USMD-650	6Vdc	6Vdc	6500	13000	50	50	85	C3	1(110.3), 2, 4 #
ASMD1206SL650-12V USMD-650-12V	12Vdc	12Vdc	6500	13000	50	50	85	C3	1(110.3), 2, 4 #
ASMD1206SL700 USMD-700	6Vdc	6Vdc	7000	14000	50	50	85	C3	1(110.3), 2, 4 #
ASMD1206SL700-12V USMD-700-12V	12Vdc	12Vdc	7000	14000	50	50	85	C3	1(110.3), 2, 4 #
ASMD1206SL750 USMD-750	6Vdc	6Vdc	7500	15000	50	50	85	C1	1(110.3), 2, 4 #
ASMD1206SL750-12V USMD-750-12V	12Vdc	12Vdc	7500	15000	50	50	85	C1	1(110.8), 2, 4 #
ASMD1206-010-33V	33Vdc	33Vdc	100	250	100	100	85	C2	1(91.4), 2, 3, 4 #

PTC current limiter:

Model No.	Voltage (V)		Current (A)				T _{moa} (°C)	Class	CA
	V _{max}	V _r	I _h (mA)	I _t (mA)	I _{max} (A)	I _{sc} (A)			
A30-075	30 V dc	30 V dc	750	1500	40	40	85	C2	1(125), 2, 4 #
A30-090-1	30 V dc	30 V dc	900	1800	40	40	85	C2	1(125), 2, 4 #
A30-110-1	30 V dc	30 V dc	1100	2200	40	40	85	C2	1(125), 2, 4 #
A30-135-1	30 V dc	30 V dc	1350	2700	40	40	85	C2	1(125), 2, 4 #
A30-160-1	30 V dc	30 V dc	1600	3200	40	40	85	C2	1(125), 2, 4 #

Feedback

A30-185-1	30 V dc	30 V dc	1850	3700	40	40	85	C2	1(125), 2, 4 #
A30-200	30 V dc	30 V dc	2000	4000	40	40	85	C2	1(125), 2, 4 #
A30-250-1	30 V dc	30 V dc	2500	5000	40	40	85	C2	1(125), 2, 4 #
A30-300-1	30 V dc	30 V dc	3000	6000	40	40	85	C1	1(125), 2, 4 #
A30-400-1	30 V dc	30 V dc	4000	8000	40	40	85	C1	1(125), 2, 4 #
A30-500-1	30 V dc	30 V dc	5000	10000	40	40	85	C1	1(125), 2, 4 #
A30-600-1	30 V dc	30 V dc	6000	12000	40	40	85	C1	1(125), 2, 4 #
A30-700-1	30 V dc	30 V dc	7000	14000	40	40	85	C1	1(125), 2, 4 #
A30-800-1	30 V dc	30 V dc	8000	16000	40	40	85	C1	1(125), 2, 4 #
A30-900-1	30 V dc	30 V dc	9000	18000	40	40	85	C1	1(125), 2, 4 #
A72-065-1 A60-065	60 Vdc	60 Vdc	650	1300	40	40	85	C1	1(120), 2, 4 #
A72-075-1 A60-075	60 Vdc	60 Vdc	750	1500	40	40	85	C1	1(120), 2, 4 #
A72-090-1 A60-090	60 Vdc	60 Vdc	900	1800	40	40	85	C1	1(120), 2, 4 #
ASMD1812-010-30V	30 Vdc	30 Vdc	0.1	0.3	100	100	85	C1	1(123.5), 2, 3, 4 #
ASMD1812-010-60V	60 Vdc	60 Vdc	0.1	0.3	100	100	85	C1	1(123.5), 2, 4 #
ASMD1812-014-60V	60 Vdc	60 Vdc	0.14	0.34	100	100	85	C1	1(123.5), 2, 4 #
ASMD1812-020-30V	30 Vdc	30 Vdc	0.2	0.4	100	100	85	C1	1(130.3), 2, 3, 4 #
ASMD1812-030-30V	30 Vdc	30 Vdc	0.3	0.6	100	100	85	C1	1(130.3), 2, 3, 4 #
ASMD1812-050-15V	15 Vdc	15 Vdc	500	1000	100	100	85	C2	1(112.1), 2, 3, 4 #
ASMD1812-075-13.2V	13.2 Vdc	13.2 Vdc	750	1500	100	100	85	C2	1(112.1), 2, 3, 4 #
ASMD1812-075-24V	24 Vdc	24 Vdc	750	1500	100	100	85	C1	1(130.3), 2, 3, 4 #

Feedback

ASMD1812-110-8V	16 Vdc	16 Vdc	1100	2200	100	100	85	C2	1(112.1), 2, 3,4 #
ASMD1812-110-30V	30 Vdc	30 Vdc	1100	2200	100	100	85	C1	1(130.3), 2, 3, 4 #
ASMD1812-125-16V	16 Vdc	16 Vdc	1250	2500	100	100	85	C1	1(132.8), 2, 3, 4 #
ASMD1812-150-8V	8 Vdc	8 Vdc	1500	3000	100	100	85	C1	1(132.8), 2, 3, 4 #
ASMD1812-150-16V	16 Vdc	16 Vdc	1500	3000	100	100	85	C1	1(132.8), 2, 3, 4 #
ASMD1812-160-8V	8 Vdc	8 Vdc	1600	2800	100	100	85	C1	1(132.8), 2, 3, 4 #
ASMD1812-200-8V	8 Vdc	8 Vdc	2000	4000	100	100	85	C1	1(132.8), 2, 3, 4 #
ASMD1812-260-8V	8 Vdc	8 Vdc	2600	5000	100	100	85	C1	1(132.8), 2, 3, 4 #
ASMD1812-300	6 Vdc	6 Vdc	3000	5000	100	100	85	C1	1(132.8), 2, 3, 4 #
ASMD1206-005-60V	60 Vdc	60 Vdc	50	150	100	100	85	C1	1(122.3), 2, 4 #
ASMD1206-010-60V	60 Vdc	60 Vdc	10	250	100	100	85	C1	1(131.5), 2, 4 #
ASMD1206-016-16V	30 Vdc	30 Vdc	160	370	100	100	85	C1	1(131.5), 2, 3, 4 #
ASMD1206-020-24V	24 Vdc	24 Vdc	200	460	100	100	85	C1	1(131.5), 2, 3, 4 #
ASMD1206-025-16V	16 Vdc	16 Vdc	250	500	100	100	85	C3	1(101.8), 2, 3,4 #
ASMD1206-035-6V	6 Vdc	6 Vdc	350	750	100	100	85	C2	1(106.8), 2, 3,4 #
ASMD1206-035-16V	16 Vdc	16 Vdc	350	750	100	100	85	C3	1(101.8), 2, 3,4 #
ASMD1206-050-6V	6 Vdc	6 Vdc	500	1000	100	100	85	C2	1(106.8), 2, 3,4 #
ASMD1206-050-13.2V	13.2 Vdc	13.2 Vdc	500	1000	100	100	85	C1	1(131.5), 2, 3, 4 #
ASMD1206-075-13.2V	13.2 Vdc	13.2 Vdc	750	1500	100	100	85	C1	1(131.5), 2, 3, 4 #
ASMD1206-075-6V	6 Vdc	6 Vdc	750	1500	100	100	85	C2	1(106.8), 2, 3,4 #
ASMD1206-100-6V	6 Vdc	6 Vdc	1000	1800	100	100	85	C2	1(106.8), 2, 3,4 #

Feedback


ASMD1206-150-6V	6 Vdc	6 Vdc	1500	3000	100	100	85	C2	1(106.8), 2, 3,4 #
ASMD1206-200-6V	6 Vdc	6 Vdc	2000	3500	100	100	85	C1	1(131.5), 2, 3, 4 #
ASMD2920-030	60 Vdc	60 Vdc	300	600	100	100	85	C2	1(128.6), 2, 4 #
ASMD2920-050	60 Vdc	60 Vdc	500	1000	100	100	85	C2	1(135.3), 2, 4 #
ASMD2920-075	33 Vdc	33 Vdc	750	1500	100	100	85	C2	1(135.3), 2, 4 #
ASMD2920-100	33 Vdc	33 Vdc	1000	2200	100	100	85	C2	1(135.3), 2, 4 #
ASMD2920-125	33 Vdc	33 Vdc	1250	2500	100	100	85	C2	1(135.3), 2, 4 #
ASMD2920-150	33 Vdc	33 Vdc	1500	3000	100	100	85	C2	1(135.3), 2, 4 #
ASMD2920-185	33 Vdc	33 Vdc	1850	3700	100	100	85	C2	1(135.3), 2, 4 #
ASMD2920-200	24 Vdc	24 Vdc	2000	4000	100	100	85	C2	1(135.3), 2, 3, 4 #
ASMD2920-250	16 Vdc	16 Vdc	2500	5000	100	100	85	C2	1(135.3), 2, 4 #
ASMD2920-260	16 Vdc	16 Vdc	2600	5200	100	100	85	C2	1(135.3), 2, 4 #
ASMD2920-300	16 Vdc	16 Vdc	3000	6000	100	100	85	C2	1(135.3), 2, 4 #

- See C of A

(X) - maybe blank or rated voltage(Vr) include prefix "-", specific rated voltage reference ELECTRICAL RATINGS.

(X) should be 0, 2-9, any letter or blank., not affect UL specifications.

- See C of A

Marking: Company name or trademark, part designation and the Recognized Component Mark  permanently and legibly marked on individual parts or on the smallest shipping container.

Last Updated on 2023-03-21

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with

Feedback

permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2023 UL LLC."